



Firefox Keyboard and Mouse Shortcuts

Here is a list of Firefox keyboard and mouse shortcuts for each of the three major operating systems organized by topic that will help you to navigate and use Firefox and the Web in a much more productive and fun way.

Browser Management	Windows	Mac OS X	Linux
Help	<u>F1</u>	n/a	<u>F1</u>
Add Bookmark	<u>Ctrl</u> + <u>D</u>	<u>Cmd</u> + <u>D</u>	<u>Ctrl</u> + <u>D</u>
Bookmarks Sidebar (toggle)	<u>Ctrl</u> + <u>B</u> <u>Ctrl</u> + <u>I</u>	<u>Cmd</u> + <u>B</u>	<u>Ctrl</u> + <u>B</u>
Browsing History (toggle)	<u>Ctrl</u> + <u>H</u>	<u>Cmd</u> + <u>Shift</u> + <u>H</u>	<u>Ctrl</u> + <u>H</u>
Download History	<u>Ctrl</u> + <u>J</u>	<u>Cmd</u> + <u>J</u>	<u>Ctrl</u> + <u>Y</u>

Clear Private Data	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>D</u> el	n/a	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>D</u> el
Page Manipulation	Windows	Mac OS X	Linux
Full Screen (toggle)	<u>F</u> 11	n/a	<u>F</u> 11
Increase Text Size	<u>C</u> tr <u>l</u> + <u>+</u> <u>C</u> tr <u>l</u> + <u>S</u> croll down	<u>C</u> md+ <u>+</u>	<u>C</u> tr <u>l</u> + <u>+</u> <u>C</u> tr <u>l</u> + <u>S</u> croll down
Decrease Text Size	<u>C</u> tr <u>l</u> + <u>-</u> <u>C</u> tr <u>l</u> + <u>S</u> croll up	<u>C</u> md+ <u>-</u>	<u>C</u> tr <u>l</u> + <u>-</u> <u>C</u> tr <u>l</u> + <u>S</u> croll up
Restore Text Size	<u>C</u> tr <u>l</u> + <u>0</u>	<u>C</u> md+ <u>0</u>	<u>C</u> tr <u>l</u> + <u>0</u>
Print	<u>C</u> tr <u>l</u> + <u>P</u>	<u>C</u> md+ <u>P</u>	<u>C</u> tr <u>l</u> + <u>P</u>
Reload Page	<u>F</u> 5 <u>C</u> tr <u>l</u> + <u>R</u>	<u>F</u> 5 <u>C</u> md+ <u>R</u>	<u>F</u> 5 <u>C</u> tr <u>l</u> + <u>R</u>
Force Reload Page (override cache)	<u>C</u> tr <u>l</u> + <u>F</u> 5 <u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>R</u> <u>S</u> h <u>i</u> ft+Reload button	<u>C</u> md+ <u>F</u> 5 <u>C</u> md+ <u>S</u> h <u>i</u> ft+ <u>R</u> <u>S</u> h <u>i</u> ft+Reload button	<u>C</u> tr <u>l</u> + <u>F</u> 5 <u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>R</u> <u>S</u> h <u>i</u> ft+Reload button
Stop Loading	<u>E</u> sc	<u>E</u> sc <u>C</u> md+ <u>.</u>	<u>E</u> sc
Save Page As	<u>C</u> tr <u>l</u> + <u>S</u> <u>A</u> lt+Left-click	<u>C</u> md+ <u>S</u>	<u>C</u> tr <u>l</u> + <u>S</u>

Page Source	<u>C</u> tr <u>l</u> + <u>U</u>	<u>C</u> md+ <u>U</u>	<u>C</u> tr <u>l</u> + <u>U</u>
Page Info	n/a	<u>C</u> md+ <u>I</u>	<u>C</u> tr <u>l</u> + <u>I</u>
DOM Inspector	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>I</u>	<u>C</u> md+ <u>S</u> h <u>i</u> ft+ <u>I</u>	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>I</u>
Page Navigation	Windows	Mac OS X	Linux
Go Down One Line	<u>↓</u> <u>A</u> lt+Scroll down	<u>↓</u>	<u>↓</u> <u>A</u> lt+Scroll down
Go Up One Line	<u>↑</u> <u>A</u> lt+Scroll up	<u>↑</u>	<u>↑</u> <u>A</u> lt+Scroll up
Go Down One Screen	<u>P</u> age <u>D</u> own <u>S</u> pacebar	<u>P</u> age <u>D</u> own <u>S</u> pacebar	<u>P</u> age <u>D</u> own <u>S</u> pacebar <u>S</u> h <u>i</u> ft+ <u>B</u> ackspace ³
Go Up One Screen	<u>P</u> age <u>U</u> p <u>S</u> h <u>i</u> ft+ <u>S</u> pacebar	<u>P</u> age <u>U</u> p <u>S</u> h <u>i</u> ft+ <u>S</u> pacebar	<u>P</u> age <u>U</u> p <u>S</u> h <u>i</u> ft+ <u>S</u> pacebar <u>B</u> ackspace ³
Go to Bottom of Page	<u>E</u> nd	<u>E</u> nd	<u>E</u> nd
Go to Top of Page	<u>H</u> ome	<u>H</u> ome	<u>H</u> ome
Move to Next Frame	<u>F</u> 6	<u>F</u> 6	<u>F</u> 6
Move to Previous Frame	<u>S</u> h <u>i</u> ft+ <u>F</u> 6	<u>S</u> h <u>i</u> ft+ <u>F</u> 6	<u>S</u> h <u>i</u> ft+ <u>F</u> 6
Move Focus to Next	<u>T</u> ab	<u>T</u> ab	<u>T</u> ab

Actionable Item			
Move Focus to Previous Actionable Item	<code>Shift+Tab</code>	<code>Shift+Tab</code>	<code>Shift+Tab</code>
Web Navigation	Windows	Mac OS X	Linux
Open Home Page	<code>Alt+Home</code>	<code>Option+Home</code>	<code>Alt+Home</code>
Back one Page	<code>Alt+⇐</code> <code>Ctrl+[</code> <code>Shift+Scroll down</code> <code>Backspace</code>	<code>Cmd+⇐</code> <code>Cmd+[</code> <code>Delete</code>	<code>Alt+⇐</code> <code>Ctrl+[</code> <code>Shift+Scroll down</code>
Forward one Page	<code>Alt+⇒</code> <code>Ctrl+]</code> <code>Shift+Scroll up</code> <code>Shift+Backspace</code>	<code>Cmd+⇒</code> <code>Cmd+]</code>	<code>Alt+⇒</code> <code>Ctrl+]</code> <code>Shift+Scroll up</code>
Open Link	<code>Enter</code> Left-click	<code>Return</code> Click	<code>Enter</code> Left-click
Open Link (in new Background Tab) ²	<code>Ctrl+Enter</code> <code>Ctrl+Left-click</code> Middle-click	<code>Cmd+Return</code> <code>Cmd+Click</code>	<code>Ctrl+Enter</code> <code>Ctrl+Left-click</code> Middle-click
Open Link (in new Foreground Tab) ²	<code>Ctrl+Shift+Left-click</code> <code>Shift+Middle-click</code>	<code>Cmd+Shift+Click</code>	<code>Ctrl+Shift+Left-click</code> <code>Shift+Middle-click</code>

Paste URL in Tab	n/a	n/a	Middle-click in Tab ⁴
Open Link in New Window	Shift+Enter Shift+Left-click	Shift+Return Shift+Click	Shift+Enter Shift+Left-click
Save Link Target As	Alt+Enter	Option+Return	Alt+Enter
Caret Browsing	F7	F7	F7
Tabs and Windows	Windows	Mac OS X	Linux
Open New Tab	Ctrl+T Double-Click on Tab Bar	Cmd+T Double-Click on Tab Bar	Ctrl+T Double-Click on Tab Bar
Close Tab (close Window if only one tab)	Ctrl+W Ctrl+F4 Middle-click on Tab	Cmd+W Cmd+F4	Ctrl+W Ctrl+F4 Middle-click on Tab
Undo Close Tab	Ctrl+Shift+T	Cmd+Shift+T	Ctrl+Shift+T
Next Tab	Ctrl+Tab Ctrl+PageDown	Ctrl+Tab Ctrl+PageDown	Ctrl+Tab Ctrl+PageDown
Previous Tab	Ctrl+Shift+Tab Ctrl+PageUp	Ctrl+Shift+Tab Ctrl+PageUp	Ctrl+Shift+Tab Ctrl+PageUp
Select Tab [1 to 9]	Ctrl+[1...9]	Cmd+[1...9]	Alt+[1...9]

Open New Window	<u>C</u> tr <u>l</u> + <u>N</u>	<u>C</u> md+ <u>N</u>	<u>C</u> tr <u>l</u> + <u>N</u>
Close Window	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>W</u> <u>A</u> lt+ <u>F</u> 4	<u>C</u> md+ <u>S</u> h <u>i</u> ft+ <u>W</u> <u>O</u> ption+ <u>F</u> 4	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>W</u> <u>A</u> lt+ <u>F</u> 4
Location	Windows	Mac OS X	Linux
Select Location Bar	<u>C</u> tr <u>l</u> + <u>L</u> <u>A</u> lt+ <u>D</u>	<u>C</u> md+ <u>L</u>	<u>C</u> tr <u>l</u> + <u>L</u> <u>A</u> lt+ <u>D</u>
Complete .com Address ¹	<u>C</u> tr <u>l</u> + <u>E</u> nter	<u>C</u> md+ <u>R</u> eturn	<u>C</u> tr <u>l</u> + <u>E</u> nter
Complete .net Address ¹	<u>S</u> h <u>i</u> ft+ <u>E</u> nter	<u>S</u> h <u>i</u> ft+ <u>R</u> eturn	<u>S</u> h <u>i</u> ft+ <u>E</u> nter
Complete .org Address ¹	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>E</u> nter	<u>C</u> md+ <u>S</u> h <u>i</u> ft+ <u>R</u> eturn	<u>C</u> tr <u>l</u> + <u>S</u> h <u>i</u> ft+ <u>E</u> nter
Open Address in New Tab ¹	<u>A</u> lt+ <u>E</u> nter	<u>O</u> ption+ <u>R</u> eturn	<u>A</u> lt+ <u>E</u> nter
Open File	<u>C</u> tr <u>l</u> + <u>O</u>	<u>C</u> md+ <u>O</u>	<u>C</u> tr <u>l</u> + <u>O</u>
Search Engines	Windows	Mac OS X	Linux
Select Search Bar	<u>C</u> tr <u>l</u> + <u>K</u>	<u>C</u> md+ <u>K</u>	<u>C</u> tr <u>l</u> + <u>K</u> <u>C</u> tr <u>l</u> + <u>J</u>
Select Next Search Engine in Search Bar	<u>C</u> tr <u>l</u> + <u>↓</u>	<u>C</u> md+ <u>↓</u>	<u>C</u> tr <u>l</u> + <u>↓</u>
Select Previous Search Engine in Search Bar	<u>C</u> tr <u>l</u> + <u>↑</u>	<u>C</u> md+ <u>↑</u>	<u>C</u> tr <u>l</u> + <u>↑</u>

Open List of Search Engines in Search Bar	<u>Alt</u> + <u>↓</u> <u>Alt</u> + <u>↑</u>	<u>Option</u> + <u>↓</u> <u>Option</u> + <u>↑</u>	<u>Alt</u> + <u>↓</u> <u>Alt</u> + <u>↑</u>
Forms	Windows	Mac OS X	Linux
Select Next Entry	<u>↓</u>	<u>↓</u>	<u>↓</u>
Select Previous Entry	<u>↑</u>	<u>↑</u>	<u>↑</u>
Toggle Checkbox	<u>Spacebar</u>	<u>Spacebar</u>	<u>Spacebar</u>
Auto Complete	Windows	Mac OS X	Linux
Select Next Auto-Complete Entry	<u>↓</u>	<u>↓</u>	<u>↓</u>
Select Previous Auto-Complete Entry	<u>↑</u>	<u>↑</u>	<u>↑</u>
Delete Individual Auto-Complete Entry	<u>Shift</u> + <u>Del</u>	<u>Shift</u> + <u>Del</u>	<u>Shift</u> + <u>Del</u>
Text Manipulation	Windows	Mac OS X	Linux
Select All	<u>Ctrl</u> + <u>A</u>	<u>Cmd</u> + <u>A</u>	<u>Ctrl</u> + <u>A</u> <u>Alt</u> + <u>A</u>
Cut	<u>Ctrl</u> + <u>X</u>	<u>Cmd</u> + <u>X</u>	<u>Ctrl</u> + <u>X</u>
Copy	<u>Ctrl</u> + <u>C</u>	<u>Cmd</u> + <u>C</u>	<u>Ctrl</u> + <u>C</u>
Paste	<u>Ctrl</u> + <u>V</u>	<u>Cmd</u> + <u>V</u>	<u>Ctrl</u> + <u>V</u>

Delete	<code>Del</code>	<code>Del</code>	<code>Del</code>
Undo	<code>Ctrl+Z</code>	<code>Cmd+Z</code>	<code>Ctrl+Z</code>
Redo	<code>Ctrl+Shift+Z</code> <code>Ctrl+Y</code>	<code>Cmd+Shift+Z</code>	<code>Ctrl+Shift+Z</code> <code>Ctrl+Y</code>
Search in Page	Windows	Mac OS X	Linux
Find in This Page	<code>Ctrl+F</code>	<code>Cmd+F</code>	<code>Ctrl+F</code>
Find Again	<code>Ctrl+G</code> <code>F3</code>	<code>Cmd+G</code> <code>F3</code>	<code>Ctrl+G</code> <code>F3</code>
Find Previous	<code>Ctrl+Shift+G</code> <code>Shift+F3</code>	<code>Cmd+Shift+G</code> <code>Shift+F3</code>	<code>Ctrl+Shift+G</code> <code>Shift+F3</code>
Quick Find Text	<code>/</code>	<code>/</code>	<code>/</code>
Quick Find Link	<code>'</code>	<code>'</code>	<code>'</code>

1: This shortcut only works in the Location Bar.

2: Opening a link in a new background or foreground tab can be inversed in the **Options/Preferences** menu, **Tabs** tab, ticking the option *when I open a new tab, switch to it immediately*.

3: For `Backspace` to work like on Windows set `browser.backspace_action` to 0 in about:config.

4: For `Middle-click` not to paste URL in tab set `middlemouse.contentLoadURL` to `false` in about:config.

The Firefox keyboard and mouse shortcuts listed here were originally based on the works of David Tenser but they have been fully rewritten, tested, and updated by Otto de Voogd of 7is7.com. The shortcuts related content contained on this page is available under the Attribution-ShareAlike 3.0 Creative Commons license.

Shortcuts sheet created by Otto de Voogd of www.7is7.com.

Firefox keyboard and mouse shortcuts .PDF file hosted and provided by www.MouseRunner.com.